Seventeenth Annual General Meeting.

THE Seventeenth Annual General Meeting of the Society was held in the Shelbourne Hotel on Saturday, March 14th, 1959.

The private meeting was opened by the President, Mr. D. Mangan.

The minutes of the Sixteenth Annual General Meeting having been published in ''Irish Forestry, Vol. XV. Nos. 1, and 2, were taken as read. The Secretary then read the Council's Report for 1958. This Report and the Financial Statement* were formally adopted.

The results of the Ballot for the new Council were announced and the election was confirmed by the meeting. Arrangements for excursions for 1959 were outlined.

The changes in the Constitution relating to Articles V and VI, which had been explained and adopted at the Sixteenth Annual General Meeting were finally ratified.

Report of the Council for 1958

THE new Council met at 85 Harcourt Street, Dublin on Tuesday, 14th January, 1958. Twelve members attended.

The members made arrangements for the 16th Annual General Meeting and for the reception of Dr. Sabroe of Denmark who was coming as guest speaker.

Sub-committees were appointed to deal with the following matters: Editorial, Excursion, Financial, Constitution, Forestry Diploma.

The Second meeting of the Council was held on the 18th February, 1958. Ten members were present. At this meeting, arrangements for the Annual General Meeting were completed and changes in the constitution were drafted for insertion on the Agenda.

An excursion programme for 1958 was arranged and included day

^{*} Published in Vol. XVI, No. 1.

visits to Clonsast, Powerscourt, Togher Wood, Portlaoise, Aughrim and Delgany. Provisional arrangements were also made for excursions in the Mallow, Sligo and Galway regions and local organisers were nominated. Arrangements for the Annual Study Tour were also put in hands.

The Third meeting of the Council was held on 13th May. Eleven members were present. The meeting arranged that in future the Journal should appear on the 1st April and the 1st October each year. Details of day excursions and of the Annual Study Tour were completed.

The Fourth meeting was held on 23rd September. Eleven members were present. The proposed Study Tour in Denmark in 1959 was taken up at this meeting and a sub-committee was appointed to consider the matter. Plans for a winter meeting were also discussed and a

committee appointed to make the necessary arrangements.

The Fifth meeting was held on Tuesday 11th November. Thirteen members were present. Arrangements for a General Meeting to be held on 22nd November were completed. A report on the Danish tour showed that a large party had already booked and that arrangements for the tour were well advanced. The preliminary arrangements for the Annual General Meeting 1959 were discussed and it was agreed that Professor M. L. Anderson should be invited as chief speaker.

The Sixth meeting of the Council was held on 9th December. Eleven members were present. The Council completed arrangements for the elections for the New Council, for the Annual General Meeting 1959 and for the Annual Study Tour 1959. The Chairman, Mr. D. P. Mangan thanked the members of the Council for their loyal support and co-operation during the year.

The Council is pleased to record that the year 1958 was outstanding in many respects. Membership has reached an all time record and 49 new members were enrolled. The income from subscriptions now exceeds £200 for the first time. The increase is almost entirely due to the enrolment of new technical members. Associate membership is, however, static for some years and with the new interest in private forestry an improvement in this respect is expected.

The subscription rate for our Society has remained unchanged since the foundation of the Society in 1942 and this, we believe, is a unique record among societies in Ireland or elsewhere. That this has been possible in a period of rapidly increasing costs, is due largely to the untiring efforts of the Council.

The members will also have received in 1958 what in effect amounts to three issues of the Journal, viz. Vol. XIV, No. 2, and Vol. XV, Nos. 1 and 2. There is an increasing demand for our Journal from overseas. The Journal is now received by libararies in the following countries: Great Britain, U.S.A. (six States), Canada, Poland, Germany, Holland, Norway, China, Japan, South Africa, New Zealand, Sweden, Italy and Turkey.

The Financial Statement has been circulated and appears on the folder calling the Seventeenth Annual General Meeting. A new feature introduced into this report (financial) is a comparison with the previous year which should be of interest to members and give a good indication of trends in income and expenditure.

As reported in the Journal there was a very full programme of meetings during the year and in spite of the poor weather, attendances were excellent. The Society held a General Meeting in November which was most successful and it is felt that similar meetings will in the future be a feature of our activities.

Presidential Address

Ladies and Gentlemen.

As the Society requires that the President, on this occasion each year, delivers an address—"valedictory" or otherwise—it falls to my lot to try and set out some of the items of forestry interest which came to my notice during the past twelve months. I make no attempt whatever at giving a comprehensive "review" of forestry in 1958/59 but merely wish to refer, as briefly as possible to some of the features of the world forestry picture and to then touch on some happenings nearer home.

In regard to general world forestry, I have drawn my facts and figures mainly from the most recent available Bulletin published in Rome in 1958 by the Food and Agriculture Organisation. The figures necessarily refer to the 1957 period, so it will be appreciated that they leave us slightly behind the times.

Dealing with the question of timber utilization, we note that the region felling the greatest volume of timber in the period under review was North America, followed by the Soviet Union and then Europe.

In Africa, Central and South America and Asia it is noteworthy that from about 70% to 90% of the timber felled was for fuel. As might be expected in the more industrialised regions, the accent is on logs for sawmills, pulpmills and veneer plants.

A rough figure for the value of the world timber harvest in 1957 is 27,400,000,000 U.S. dollars, comparing with 27,800,000,000 for 1956. The breakup of the 1957 figure is:

Sawlogs			14,200	million	dollars
Pulpwood			8,900	"	,,
Pitprops			500	,	,,
Other indu	strial	wood	900	,,	"
Firewood			2,900	,,	,,
		-	27,400	,,	,,

Sawnwood:

In 1957 the U.S.S.R. headed the list with 79 million m³ of sawn timber, the U.S. coming a close second with 78.8 million m³. Other large producers were Japan (23.1 million m³) and Canada (15.8). The order of preference in Europe was Sweden, Poland, France and the German Federal Republic.

For the 10 years 1948 to 1957, coniferous species accounted for 80% of the total sawnwood volume, although occupying only slightly over half the world forest growing stock.

Trade:

In 1957, Europe and North America accounted for 82% of the total world exports of coniferous sawnwood (Europe 49% and North America 33%). During the 10 years to 1957 Europe changed from a net exporter to a net importer, while in the Soviet Union the opposite was tht case. In Europe Sweden, Finland and Austria dominated the export market. The U.S.S.R. increased its coniferous sawnwood shipments from 0.47 million standards in 1956 to 0.74 million in 1957 thus becoming the third largest softwood exporter (behind Canada and Sweden).

The United Kingdom was the leading importer, followed by the United States, while West Germany, Holland and Italy were high on the list.

Broadleaved species in 1957 accounted for about 10% by volume (14% by value) of the world sawnwood.

Sleepers:

Wood continues to be the principal material for railway sleepers and in western Europe it accounts for 80% of the total. Of these 75% are broad-leaved species.

It is anticipated that wood will maintain its leading position on account of improvements in technique and wider use of preservatives, together with better methods of rail-fastening. Wood has the qualities of shock-resistance, elasticity, low-conductivity, easy working and comparative cheapness.

Plywood:

While the production of plywood since pre-war has been growing continually, the growth has been at a gradually decreasing rate. The 4% increase from 1956 to 1957 was one of the smallest in the last 10 years, even though world production in 1957 was at a record figure of 11.7 million m³.

The U.S. produced 6 million m³, the U.S.S.R. 1.2 million and Japan 964,000 m³. Other important plywood producers were Canada, West Germany, Finland and France.

Exports of plywood reached a new record level of just under 1.1

million m³, of which Japan exported 328,000 m³, followed by Finland with 259,000 m³ and the U.S.S.R. with 100,000 m³. 86% of the years' exports of plywood were to Europe and North America. The U.S. took 40% and the United Kingdom 31%. As a contrast, the United Kingdom in 1948 bought 43% of the total plywood imports, while the U.S. took only 6%.

Pulp:

The outlook for pulp is one of continued expansion, even though the rapid incrtase of the last year has slowed somewhat. World production for 1957 was 50 million tons. Japan's output increased 600 per cent. in the period 1948-1957 to a figure of $2\frac{1}{2}$ million tons, putting that country in sixth place, following the United States, Canada, Sweden, Finland and the U.S.S.R. West Germany's 1957 production was $2\frac{1}{2}$ times that of 1948, being 1.4 million tons. This made the Federal Republic the third largest producer in Europe, following Sweden and Finland.

An increase has been noted in the utilisation of broad-leaved species for pulping and also in the use of wood residues such as slabs, edgings, veneer cores, etc. Expansion in the newsprint and fibreboard industries has meant that mechanical pulping held its ground at around 30-35% of toal pulp production.

Europe and North America accounted for nearly 88% of the total world imports. The leading pulp importing countries are the United Kingdom (from Finland, Norway and Sweden) and the United States (importing from Canada).

Newsprint:

Total world output soared in 1957 to 12.35 million tons, an increase of about 3% on the previous year. The increase in the period 1948-57 was 63%, the U.S.S.R. nearly doubling its output. Canada continued to be the leading newsprint producer with 47% of world output the runners-up being the U.S. the U.K., Finland, Japan, Sweden, France and the U.S.S.R.

During the last 10 years, newsprint production commenced in Ireland, Yugoslavia, Argentine, Israel, India and New Zealand.

Exact figures for the production of "paper other than newsprint" were difficult to procure, but about 35% consisted of printing and writing paper, the remainder being a great variety of wrapping, tissue and industrial papers. Production grew steadily in the past 10 years to a 1957 record level of over $28\frac{1}{2}$ million tons, the United States contributing 11.9 million tons.

Paperboard and Fibreboard:

Both reached new record production levels. Again, Ireland is mentioned as one of the countries which began production of fibreboard

during the present decade. Other countries starting during the period were, Bulgaria, Czechoslovakia, Hungary, Netherlands, Spain, Mexico, Argentina, Brazil, Union of South Africa and Israel.

The world-wide spread of the fibreboard industry is indicated by the fact that the U.S. share dropped from 62% in 1948 to 43% in 1957. Production of compressed fibreboard increased steadily at the expense of non-compressed.

As regards Particle Board very little information was available, beyond that European production was about 70% of total world output, with West Germany predominating in the industry.

This unfortunately lengthy summary covers the main features dealt with in the F.A.O. Report.

Ireland:

Coming now to Forestry in Ireland, I suppose the most noteworthy development we have seen in the last 12 months is the drive for private planting initiated by our very energetic and enthusiastic Minister for Lands. This is something that members of the Socety have long awaited. It is safe to say that we are 100% with this drive and it is more than a coincidence that the two lecturers appointed by the Minister to bring the light of Forestry knowledge to the less-forested parts of the Irish countryside, are both men who have been outstanding in this Society from its very beginnings. I refer of course, to our tireless Secretary and Treasurer, Mr. T. Clear and our valued member and several times President, Mr. Fitzpatrick.

The private planting drive is being handled with imagination and enterprise. The raising of the planting-grant from £10 to £20 per acre should certainly encourage any owner of a piece of suitable land and in many cases the grant should cover the major portion of the planting costs.

The coloured leaflet published by the Department entitled "Plant for Profit" should appeal to the long-term business instincts of any farmer who reads that an acre of Sitka spruce properly planted and managed should produce some £1,270 worth of thinnings and mature timber over a 45-50 year rotation. Or if the same farmer had been listening to Mr. Childers during the debate on the Forestry Estimate in Dáil Eireann in June last, he would doubtless have been interested in the possibilities of poplar-growing with a return of £600 per acre in 20 to 30 years.

An indication of the Minister's earnestness in pushing the scheme was his assurance at a public meeting in Dublin that if there was an insufficiency of suitable plants forthcoming from the nurserymen, then he would endeavour to meet the deficiency by curtailing the Department's own planting programme and supplying the necessary requirements from State Nurseries.

The great need for the Private Forestry drive is highlighted by such facts as that the total area of private woodlands to-day is somewhere around 90,000 acres while a mere 80 years ago it was 380,000 acres.

The second item which comes to my mind is one of special interest to State Foresters, namely, the intrdouction in April 1958 by the Minister for Lands of the Incentive Bonus Scheme for Forestry workers. Initiated at Blessington and Hollywood Forests, the aim, I understand, is to have the Scheme worked out in detail for each Forest in the Country on a basis of output and quality of work. I have been in a number of forests recently where the scheme is in operation and am able to confirm that the workers can, in fact, earn an extra £1 to 30/- each week. Naturally, like all inovations, there have been teething troubles and some foresters expressed doubts as to its worability etc., but the fact remains that it IS working and that a reasonably good wage can be earned by extra effort, hand in hand with an increase in output.

The Scheme was planned by industrial efficiency experts in consultation with the Department and with the trade unions concerned, and it was estimated that it would take two years to have it working in all the forests.

I can be forgiven, I think, for regarding the Annual Study Tour of the Society as one of the highlights of 1958. The attendance at Wexford was good, though not a record, but the organisation and the programme were excellent. I take this opportunity of congratulating and thanking all the members of the Outings' Committee on doing a very fine job. While the Curracloe plantations never fail to interest foresters and while the other local centres visited kept the programme at a high level, I am of the opinion that the display of mechanisation in the nursery at Clonegal was an effort which was fit to compare with some of the best demonstrations seen by the Society in their travels.

An important decision was taken by the Forestry Department during the year, one in which I had a close personal interest. This was the decision to depart from the normal and, I suppose, time-honoured Silvicultural practice in regard to the utilisation of mature and semimature Larch and Scots Pine Stands. Instead of carrying out periodic thinnings to bring about a final crop of heavy stems for sawmilling, it was decided to clear-fell in certain areas and, in the ensuing classification of produce, quite a large number of poles were made available for the Department of Posts and Telegraphs and the E.S.B. As one gaining his livelihood in the latter organisation, I am naturally "all for" putting money into circulation at home and reducing our imports from the Baltic, but as a forester I have to hang down my head (in the words of the immortal lyric), so as to avoid the accusing gaze of men whom formerly I called my friends!

I am assuming that all the unfavourable possibilities (especially that of wind-throw) were taken into consideration before the clear-felling policy was decided on and I am well aware that many of the older

stands of larch are not really improving with age, but are losing an increasing volume of timber each year, with the growth of butt-rot.

I am assuming that all the unfavourable possibilities (especially that of wind-throw) were taken into consideration before the clear-felling policy was decided on and I am well aware that many of the older stands of larch are not really improving with age, but are losing an increasing volume of timber each year, with the growth of butt-rot.

A report of particular interest to Forest Pathologists is that the Dutch Elm Disease has been observed in this country for the first time. I understand that a Mr. Heybrook of Holland found examples of this disease while travelling in the vicinity of Kill, near Dublin, in January 1959. This brings to my mind a news item of February 2nd last to the effect that a Chair of Forestry is being established at the National University. This is a very welcome and progressive step in connection with Forestry at the highest level. It is high time that the decision was made to re-establish this post which was last occupied by the late Professor Henry.

An item which recently caught my eye in a Trade Journal was that the first consignment of packaged timber to come to this country arrived about January or February last. This innovation, which has recently been on trial also in England and elsewhere, consists in shipping sawn timber from the Baltic in bundles of perhaps 1 ton in weight, bound up with metal bands. These bundles can be very quickly hoisted out of ships' holds and either loaded directly on to lorries or stacked neatly on the quayside until further movement is required—usually with the assistance of fork-lift equipment.

Another item which interested me was to hear that C.I.E. are looking into the possibilities of using home-grown sleepers. Certainly, home-grown Scots Pine sleepers, if available in any quantity should be as good as French maritime pine, if not better. This very matter was recently brought up at a meeting of the English Timber Merchants Association in London and as I understand that the Native Timber Merchants Federation in this country is being re-organised, their aims will certainly include efforts to extend the uses of home-grown timber by all possible means. I should mention that the Electricity Supply Board have, as is only natural, a definite policy of using home-grown timber as far as possible. Tool handles, which it was once thought could only be satisfactory if made from American Hickory, are now almost invariably purchased in Irish ash. These handles are for such items as axes, sledges, hammers, slash-hooks, rammers, shovels, etc.

A Government decision which I personally thought surprising was the arrangement which gave a monopoly for the export of veneer timber to a firm based outside the Country, but I assume that the best available advice was taken on the matter before the decision was arrived at.

Finally, to keep myself from occupying the floor all night I will briefly summarise the work of the Department of Lands, Forestry

Division, for the 1957/58 period, that is to say, up to 31st March, 1958.

The total number of Forest units was 176, including 3 centres opened during the 1957/58 period (Ardara in Donegal, Swanlinbar in Cavan and Castlegregory, Co. Kerry).

The total area on hands was 365,230 acres, of which 310,892 were considered as productive forest. The total area planted was 257,467 acres and the plantable reserve 53,425 acres (the Minister for Lands, when taking over an area of 520 acres at Tourmakeady, stated that the plantable reserve was at a dangerous low level and that an increase in the acquisition rate was contemplated.

The area acquired in 1957/58 was 26,345 acres of which 23,268 acres were productive.

20,056 acres were planted in the period while the programme for the present year 1958/59, is 22,500 acres. There are 62 Forest Nurseries totalling 657 acres in area. The percentage of the different species planted during the year were:—

Sitka spruce		43.2
Pinus contorta		30.2
Norway spruce		9.0
Other conifers		7.9
Other pines		6.7
Broadleaved species		3.0
	-	100.0

The total number of plants used was 28 million. Employment given ranged from a minimum figure of 4,610 to a maximum of 5,019, the average being 4,835.

294 fires were reported during the period of which 22 caused damage amounting to £5,226 on a total area of $111\frac{1}{2}$ acres.

The produce from thinnings in State Forests in 1957/58 was 2,068, 059 C. ft. The gross expenditure on forestry was £2,087,412 and the income £331,966 showing a net expenditure of £1,755,446.

If the present annual tree-planting rate can be maintained, it is estimated that State Forestry will give employment to 6,000 by 1968 and to 9,000 by 1978.

Many members will have noticed the widespread activity in road-making through the country's forests. In 1957/58 the Department laid down about 250 miles of forest roads and spent £195,000 in wages alone for this work.

In conclusion, I would like to thank the Council members, both those of last year and those incoming this year, for their splendid help and co-operation at all times. Judging by my experience of the new Council so far, we shall have a very successful year.

Public Business.

After a short interval the public part of the Meeting began with a lecture on "Imminent Management Problems in Scottish Forestry" by Professor M. L. Anderson, Department of Forestry, Edinburgh University. The text of the lecture appears elsewhere in this issue.

Discussion and vote of thanks.

Opening the discussion Mr. K. F. Parkin said that the Management problems facing the foresters in Northern Ireland were substantially the same as those outlined by Professor Anderson, for in the past the same pattern of planting large acquired areas over a short period had also been followed.

"With a measure of relief," he said, "I can confirm that his recommended policy of converting these areas to normal forests by an early start to clear felling of annual coupes equivalent to the total forest area

divided by the average rotation, is being practised.

"The current establishment policy for newly-acquired forest areas, is not, however, in agreement with Professor Anderson's recommendations and since this policy was laid down after very careful consideration I think it may be of interest to briefly summarize it and to attempt to justify the departure from the silviculturally ideal management.

"As each new forest unit is acquired it is planted up in equal annual areas over a period calculated as that between the start of planting and the start of first brashing—usually 12 to 14 years. The resulting forest does not, therefore, have a normal distribution of age classes and future management problems will undoubtedly be encountered before a state of normality is reached in the second rotation. Such a policy is considered justified by the importance of providing as much rural employment as possible at the present time and also of rapidly building up an invaluable source of raw material for new industries on the land acquired for forestry purposes.

Professor Anderson's proposals to maintain a 60 year reserve of plantable land would mean that the present Northern Ireland annual planting programme would be reduced from 4,500 acres to 700 acres with a consequent severe drop in the permanent labour force, and the ultimate afforestation target would not be reached for 140 years.

"In our opinion the eventual, temporary management difficulties arising from the present afforestation policy in Northern Ireland are

well justified by the immediate social and economic advantages.

"Once again Professor Anderson has demonstrated his unsurpassed theoretical and practical forestry knowledge in accurately pinpointing the problems ahead of us and in guiding us along the paths we should take. On behalf of the members of the Society of Irish Foresters I would like to propose a vote of thanks to him for this further contribution to forestry knowledge and for honouring us with is presence here to-night."

Mr. T. McEvoy.

In seconding the vote of thanks, Mr. McEvoy said that this country was fortunate to have had the services of Dr. Anderson (as he then was) at a critical, formative period in the development of the Forestry Division.

After a brilliant scholastic career culminating in a D.Sc. at Edinburgh he served with the British Forestry Commission in the early twenties, doing valuable pioneer work on sample plots, yield tables and silvicultural research. He came to Ireland in 1926 as Forestry Inspector but returned to higher duties in Britain in 1928—including lecturing at the Imperial Forestry Bureau at Oxford.

When A. C. Forbes, the first Director retired, Dr. Anderson was again called in as Chief Inspector in 1932, becoming Director in 1940. In 1946 he was again attracted to Oxford but soon moved to the Chair of Forestry at Edinburgh where his combination of academic distinction with vast field experience was particularly welcomed.

He exerted an abiding and distinctive influence on Irish Forestry, especially in such matters as the use of *Pinus contorta* here as a pioneer species before its virtues were recognised elsewhere, in the group planting of hardwoods and in the development of thinning techniques.

But in the long run our greatest debt to him might lie in his initiatve in establishing in 1941 the Society of Irish Foresters as a forum for the independent development of Irish forest thought. As first President, as Editor, Councillor and Excursion Convenor he had left an indelible mark on the Society which had flourished with remarkably little change in the original mould of its Constitution and activities.

Referring to Prof. Anderson's paper, Mr. McEvoy thought all would agree with him in stressing that sound silvicuture of the individual stands which comprise a forest must be practised within the framework of a proper management plan for the forest as a whole and that such plans should be evolved as soon as possible. Differences of opinion would be concentrated on the silvicultural basis on which the plan should be built, and on the practicability of a rigid application of his prescription for establishing a normal dstribution of age classes.

One of the great difficulties in preparing a plan was the comparative paucity of silvicultural experience and the resultant violent swing of silvicultural fashions. There was little general agreement as to appropriate length of rotation or even a choice of species and rates of growth for many sites. Under such conditions it would be difficult to justify any rigid definition of areas into 'productive' and 'protective' forest, or the non-planting of large areas of land on hands in the interests of a highly theoretical concept of what would eventually emerge as a 'normal' forest. Fortunately we in Ireland did not have to consider the ills resulting from the planting of vast areas in one location over a few years. The pattern of picemeal acquisition ensured a fair distribution

of age classes and a wide variation of site quality allowed of considerable room for manoeuvre by varying rotation lengths. It was surprising that Prof. Anderson did not mention the device of varying thinning intensities with especially heavy thinning in the older crops on the best

sites as a means of hastening the approach to 'normality'.

Prof. Anderson rightly regarded a stable forest population as essential to a stable healthy forest but this did not prove a case for normalising in blocks of as little as 1,500 acres. To-day workers were far more mobile than formerly; they tended more and more to live in the nearest village and the unit for steady annual employment to be achieved by normal age class distribution could be much larger. Neverthe less the speaker agreed with Prof. Anderson that it was impractical to think in terms of normalising age class only on a regional or national basis.

While a case might be made for the wider use of slow growing native species in Eastern Scotland we could not claim any marked success here with, say, Scots pine; and we were forced for ecological as well as economic reasons to rely on fast growing American exotic conifers and therefore to think in terms of short rotations under which regime normality might be more quickly achieved if not maintained.

Mr. N. Morris.

Mr. Morris, in associating himself with the vote of thanks, was inclined to question whether the classical ecological approach to forestry was appropriate to modern conditions. He felt that with the present necessity to have more direct control over production we would find ourselves being forced increasingly to a system of artificial tree farming, with increased use of fertilizers, as in agriculture.

Fifteenth Annual Study Tour -

Denmark: 15th-30th May, 1959

Introduction.

36 members of our Society travelled from Harwich to Esbjerg in Denmark on May 24th on this our fifteenth study tour. We were met on arrival in Esbjerg in the early afternoon of May 25th by Mr. Steenstrup of the Danish Heath Society and Mr. Tolstrup of the Danish Forestry Society and having boarded the very comfortable Copenhagen bus which Dr. Sabroe had arranged to meet the boat we started our 140 mile drive through Jutland to Viborg. On our way we were introduced to the work of the Danish Heath Society which was founded in 1866 and has been doing such important work since then in sponsoring, assisting and initiating the reclamation of the Heath lands of Jutland.

100 years ago 2,100,000 acres was covered with heath and to-day the heath area is less than 430,000 acres. In the meantime the land has been drained and reclaimed for farming, plantations have been established, 25,000 new homes have been started, the population has increased and towns and villages have prospered. The result of the work already done was to be seen all around us in the tidy well cultivated farms, the comfortable looking farmhouses, well constructed out-offices and shelter belts which were a feature of every farm. At Slauggard we stopped for a short time to enjoy a very refreshing cup of tea at the home of Forest Officer and Mrs. Beck and to eat quantities of lovely Danish savouries, sandwiches and cakes which Mrs. Beck had kindly prepared for us. That night in Viborg in the pretty setting of the Salonen Restaurant we were the guests of the Danish Forestry Society for dinner and had the honour of meeting Count Moltke, President of the Society who formally welcomed us to Denmark. On the following night the Danish Heath Society were our hosts with the Chairman of the Society presiding. The first two days of our tour were spent in the Viborg area of Jutland. As well as the work of the Heath Society we saw the work of the State in mixed heath planting on poor soil under the direction of Forest Officer Hviid, who, as President of the Danish State foresters, was our host at lunch in the very pleasant surroundings of Knudstrup Inn. We had an interesting afternoon in the Kongenshus Memorial Park which was established in honour of the pioneers of the Heath. The memorial stones which commemorate the reclamation of the heath demonstrate very strongly the great pride of the Danish people in the development of their country. We were sorry when we parted with our friends of the Heath Society and with Mr. Tolstrup who left us at Horsens. On the first few days he travelled with us on the bus and was our guide, philosopher and friend who answered our many questions cheerfully, joined in our jokes and made us feel at home from the moment of our arrival in Esbjerg. Mr. Elmquist took over from Mr. Tolstrup and in the same way helped us with our problems and answered all our questions. He remained with us until we came to the "Small Belt Bridge" on our return journey to Esbjerg.

Meeting Dr. Sabroe again was a great pleasure for all of us and it was typical of him that he did not allow a serious illness from which he was convalescing to prevent him conducting us personally around his own territory—the Boller State Forest district. Without Dr. Sabroe our visit to Denmark would not have been possible. It was he who arranged everything, our itinerary for the week, our hotels, meals and transport and he left nothing to chance. Mrs. Sabroe was also at Boller to greet us, to extend to us the hospitality of the Sabroe home and of their holiday cottage overlooking the sea near Horsens, where on a perfect summer afternoon we enjoyed a delightful cup of tea in the gardens beside the sea shore. The day we spent with Dr. Sabroe was one of the

most memorable of the tour. In the forest we saw very fine stands of broadleaved trees and natural regeneration of beech and fir. We paid a short visit to a modern highly developed Danish farm as well as the homes of a Danish State Forester and a workman. We also had an excellent lunch at Faddegrav Badehotel at which the Directorate of State Forestry was our host with Dr. Sabroe presiding. Our Society is deeply indebted to the Sabroes for planning such a wonderful tour for us and for their kindness and hospitality to us.

Another visit to remember was the visit to Mr. G. Larsen's estate at Kojkol near Horsens. Mr. Larsen journeyed specially from Copenhagen to meet us and to be our host at supper. His large estate with its acres of woodland and its lovely gardens was much admired by all of us. We also had an interesting day at Frizsenborg on the estate of Count Wedell. The Count and his Manager, Mr. Lovengreen, came around with our party and the Count, with typical Danish hospitality, entertained us to lunch. Our over-night stay at Horsens was unfortunately too short to permit of our visiting any of the interesting shops, but we admired the lovely varieties of flowers we saw there.

The last two days of our tour were spent in the island of Fyn which we reached by crossing the "Small Belt Bridge" at Middlefart. Here we saw the beautifully situated forest of Langes which surrounds the lake of the same name. We spent an afternoon in the Brahetrolleborg forest district owned by the Reventlow family, which has been in that family since 1700. We were told that it is one of the oldest research areas in Europe. A stop overnight at Odense allowed us time to see the famous Hans Andersen's house and to dine at one of the old world restaurants of the city. There was also the very fine park to see and many fine buildings. Faaborg, on the Baltic, our last stopping place, was a delightful seaport town with its houses built close to the quays. We did our souvenir shopping here and some of our party enjoyed a walk by the sea. Next day we saw Frederiksgave Castle estate and Forest Officer Qvistgaard showed us plantings of exotic trees on poor sand soil. We had lunch at a very pretty restaurant at Wedellsborg on the Baltic on the guests of the estate before starting on our journey back to Esbjerg.

We had ideal weather during the entire week and our memories of Denmark will be of a country of sunshine, of neat, comfortable farms, each one with its shelter belt, of bright cheerful, prosperous towns and highly developed forests. Above all, we will remember the hospitality and kindness shown to us, the courtesy, the friendliness, and the warmth of the welcome we received. Our bus driver from Copenhagen must not be overlooked. His skill and competence in steering his bus over the narrow roads in the forest were the envy of all of us and his little speech before he parted with us was in keeping with his courtesy, good humour and helpfulness during the week.

Monday, May 25th:

The drive to Viborg allowed the members to become familiar with the sight of unfenced lands, tilled or meadowed to their exact borderline, and to appreciate the care with which shelter screens of trees and shrubs had been grown so as to shelter the countryside and buildings in an orderly fashion. Belts of spruce (*Picea alba* and *P. sitchensis*) were frequent, but wherever possible hardwoods of the whitebeam, elm, or sycamore types had been used.

The journey was broken by a number of halts. The first of these was in an 80 year old stand of Norway spruce of slow growth, which is being opened out and underplanted with silver fir and Douglas fir with some *Quercus borealis*, beech, and Japanese larch. The slow development of the spruce was attributed to lack of moisture and a shallow root system. As the soil consisted of a deep, free-working sand it was felt that the deeper rooting species would be able to forage more successfully for water and that the overstorey of spruce should abate the effects of drying winds until the new crop was well established. The most successful results appeared to be in areas where there had been *Quercus petraea* scrub on sandy heathland. Birch was common in the second crop regeneration areas.

The discussions were enlivened by refreshments provided at the halt, and members were able to examine the use made of granite boulders set in formal groups. The names of pioneer heath planters were engraved on the stones as a permanent memorial.

The next item was a reception at his beautiful official villa by Chief Forester Beck, who has charge of a farmers' co-operative forest. The house was set in a clearing of several acres at the meeting point of several wide rides through a heathland coniferous forest: groups of hardwoods and ornamental conifers relieved the austere lines of the forest and protected a collection of flowering shrubs. The vistas along the open rides gave a sense of spaciousness, and crops grown in them a sense of agricultural prosperity. The traditional style of roof, with wide eaves over half timbered walls repeated some of the typical shapes and dark brown tones of the forest, and these in turn provided the background for brightly coloured flowering creepers and late spring flowers.

Mr. and Mrs. Beck's kindly welcome was greatly appreciated and Mr. Mangan expressed the thanks of the members.

The last portion of the journey was through the scenically undulating Dollerup Hills, south of Viborg. This is a favouraite tourist resort, and a system of roads, adequate for a heavy stream of traffic winds up and down through stretches of unaltered heath which support the full flora of the type, and picturesque woodlands on the slopes overlooking beautiful lakes. A brief halt was made to allow time to enjoy the view and to examine the vegetation in which species of the typical genera, rare or absent at home, were common. Vaccinium vitis-

idaea for example, and near the forest edge Trientalis europaea, but with a thin growth of Calluna dominant.

J. E. J.

Tuesday, 26th May.

The forenoon was spent in the 6,000 HA State Forest of Viborg under the guidance of Forest Officer Hviid, who told us of the many problems of his charge. Not the least of them is fire. "There has been one fire this morning," he announced on our arrival, "so no smoking please." In 1948, 1,300 HA was burned by an unexploded shell which had lain in the woods since the war, and the fire station adjacent to the forester's house was a reminder of the danger.

We looked at a soil profile pit opened on the summit of an unplanted ridge and heard something of the history of the area from Mr. Hviid. When an ice cap covered all the rest of Jutland during the Ice Age here there was no ice. The nearest glacier was 10 miles to the north and during successive summers the melting ice waters poured over the place where we were standing and washed the mineral nutrients out of the soil. What was left was a barren sand, very low in humus, which supported no plant life except a thin crop of heather. "On this spot," said Mr. Hviid, "there has certainly been no forest for 1,000 years as we know it was the site of a battle in 1100 and for that a pitch clear of trees would have been chosen."

There are now 2,600 HA of forest in this section. The first planting was done by the State in 1804 and continued until 1840. Scots pine was used and it suffered severely from leaf shedding due to *Lophodermium* and the plantations were a failure. Norway spruce was then tried and it failed too and the scheme was suspended until 1895 when it was started again with the benefit of the experience gained by the Heath Society on similar land.

As well as fire and poor soil conditions, the management has to contend with drought in years of low rainfall, late frosts nearly every year, windfall and *Fomes annosus* in the shallow rooting Norway spruce and deer damage to the firmer rooted and healthier silver fir. An interesting technique has been evolved to combat all these drawbacks and this was explained to us by Mr. Hviid whose staff gave demonstrations of the actual operations which have led to successful afforestation.

The modern method is to plough 45 to 50 cm. deep with a mounted plough during the summer, disc harrow in the autumn and plant the following spring. About 1 ton of ground lime is spread over an acre in addition to 4 cwt. of a mixture of Phosphate, Potash and Nitrogen fertilizer containing some trace elements and after planting is finished 14 cwt. of rye straw is scattered over the surface of the ground with the object of providing humus. The total cost of the preparation, including fencing against deer, is up to £80 per acre.

We saw a demonstration of planting by machine. A large tractor

pulled a three row planter which seated three operators who planted Norway spruce, Lawson cypress and birch 2 year 1 year transplants at $1\frac{1}{2}$ m. spacing in lines $1\frac{1}{2}$ m. apart. The machine opened a furrow into which the operator thrust a plant; the soil was filled in by a disc and firmed about the roots by a narrow roller.

Nearly all the mixtures contain 50% Norway spruce which is found to be a valuable cash crop, first as Christmas trees from 10 years of age and later as fencing posts and rails, hay tripods, transmission poles and construction timber. There is an established market for the spruce and it is easier to sell than Japanese larch, Douglas fir, silver fir, or mountain pine. Japanese larch is used for its beneficial effect on the soil and because it helps the growth of the spruce. It is well liked for mixing in the fire and shelter belts which border the roads. These are 35 yards wide and besides Japanese larch and spruce contain silver fir, oak, beech, sycamore, cherry (Prunus serotina) and Amelanchia spicata. The aim is to smother the grass and heather as soon as possible and to maintain a green understorey of non-inflammable hardwoods and shrubs. To speed the early death of surface vegetation the ground in between the lines of newly planted trees is kept cultivated by a small four-wheeled tractor carrying a spring tined harrow. Killing the grass also reduces the frost danger.

Points of interest which came out in the course of the many discussions were:

Fertilizers are of little value on the unimproved sandy soil as they are washed out because of the lack of humus. They rye straw provides humus and they find that there is a noticeable improvement in fertility when soil is brought from older plantations and shovelfuls are sprinkled over the straw. A zoologist from the nearby concientious objectors' camp has found earthworms in a straw strewn plantation and Mr. Hviid hopes that the straw and soil treatment will lead to an increase in the numbers of worms—"the unpaid tillers of the soil."

Silver fir is protected against deer damage by "twinning" with mountain pine or alder. The two species come from the nursery tied together with string and they are planted in the one pit. They grow up side by side and the nurse is not removed until the silver fir is in need of relief—usually it is not necessary to remove it at all.

The roads and fire-lines divide the forest into compartments of about 500 acres.

The forest workers are able to earn 30 kroner a day on piece-work and take home £7 10s. 0d. to £9 a week.

The rotation of Norway spruce depends on the soil. The first generation was left for 60 to 70 years which is equivalent to 45 years growth allowing for initial checks.

We had lunch in Knudstrup Inn as guests of the Society of Danish State Forest Officers. Mr. Hviid who is president of the Society was our host at a most enjoyable meal in a room appropriately decorated with sprays of tree foliage by the local forestry staff. Mr. McEvoy expressed our thanks for the hospitality and we then set out on our afternoon session visiting the woods in the charge of the Danish Heath Society.

The Danish Heath Society is a non-profit-making body whose aim is the improvement of the soil of Denmark. It has 19,000 members and its headquarters is in Viborg. It is governed by a committee and a board of 9 directors, 4 of whom are elected by the Committee, 3 by the Ministry of Agriculture, 1 by the farmers' associations and 1 by the small holders' association. It was founded in 1866 when there were 1,000,000 HA of uncultivated heath. Since then 700,000 HA of this area has been converted into arable land, the society has assisted in establishing plantations with a total area of about 100,000 hectares and the Government through the State Forestry Department and the Dune Directorate has planted another 90,000 HA of plantations.

From 1880 the State granted annual subsidies for the work of planting. A few years earlier the planting of shelterbelts and small plantations was commenced and from 1882 the work of planting shelterbelts was organised in local societies which are enabled by the

State grant to distribute trees at reduced prices.

The Society has assisted in the establishment of about 3,100 plantations occupying about 270,000 acres of which 30,000 acres belong to the Heath Society itself.

As we drove along towards our first stop to right and left of the road we saw evidence of the Society's work. It was hard to realize that 100 years ago these prosperous farms had been barren heath and that the transformation had been wrought by deep cultivation, marling and by the planting of shelter belts. Colonel Dalgas, the founder of the Heath Society and its director during its early years, first hoped for sufficient shelter from widely spaced belts but before long he realized that high production was not possible without close shelter and that this was achieved by single rows of trees around the fields. Now every field has its high "hedge" of Norway spruce mainly about 20 to 30 feet high and in nearly every instance in a single row.

And then we came to Kongenshus Mindelpark, a 3,000 acre memorial park to the pioneers of the heath reclamation, and drove into one of the long shallow valleys along a narrow road flanked with boulders set up in commemoration of the work done in improving the heath lands since 1866. Each district has a boulder and on it are carved the areas of heathland, woodland and farmland in 1850 and in 1950, and round each district stone are smaller stones for every parish bearing the names of the local heath pioneers.

Shortly after leaving the memorial park we entered Guldborgland plantation, which is the property of the Heath Society. We were welcomed by Mr. Christiansen who presented each of the ladies in the party with a bouquet of flowers. He explained the problems of the

area under his charge which extends to about 1,000 acres of Norway spruce planted in the heather from 1875 to 1885 and now undergoing regeneration. Clear felling is not favoured as it leads to the growth of a dense mass of grass and gives no protection against frost or the drying effects of sun and wind which are serious on the sandy soil and with a rainfall of only 25 inches. The system found successful is artificial regeneration in narrow strips under a light shelter-wood, planting a mixture of Norway spruce, Abies grandis, silver fir, Douglas fir, Japanese larch and birch. In some compartments the birch (Betula pubescens) and silver fir were planted in the same hole so that the birch would protect the fir against roe-deer. Every plant was given $\frac{1}{2}$ oz. of a mixed fertilizer at the time of planting. Ploughing before planting is usual.

We were given this data for Compt. 25:

 Species
 ...
 Norway spruce.

 Age ...
 ...
 88 years.

 Total increment (1955)
 9,900 c.ft. per acre.

 M.A.I.
 ...
 128 c.ft. per acre.

 Volume in 1955
 ...
 5,200 c.ft. per acre.

Over half of the stems in this plantation suffer from *Fomes annosus*. About 3 feet to 6 feet of the butt of affected trees is unsuitable for saw timber and goes for firewood or pulping.

Heaps of Norway spruce poles were seen on the roadsides. Felling and extraction are done by the forestry workers, who measure the logs and mark the dimensions on the butt of each. Standard prices based on size classes but not quality are agreed at an annual meeting of timber merchants and these prices are a guide in all the sales which take place during the year.

Our next stop was at Dalgas Plantation, an area of 1,050 acres called after the founder of the Heath Society, which was planted from 1887 to 1930. We looked at Compartment 43 dating from 1894 when a mixture of 75% Norway spruce and 25% mountain pine was planted on trench ploughed heath. Seven years later the furrows were ploughed back against the plants because they showed signs of ill health and later all the mountain pine was taken out. In 1955 the Norway spruce was 40 feet high and volume 1,900 cubic feet per acre. 80-90% of the stems were attacked by *Fomes annosus*.

The area is now under regeneration. The general plan is to work from east to west clearing strips 8 metres wide with 16 metres left in between. Stumps are removed and the entire area of the strip is ploughed and planted with a mixture of Norway spruce, Douglas fir, silver fir, and Japanese larch. Trials are, however, made with other methods—one area had two-thirds of the trees cut out and the

remainder retained as an overstorey. The branches were collected in windrows and the spaces in between were ploughed by horse plough. Birch seed was sown in the furrows, and a mixture planted consisting of 50% silver fir, 34% Norway spruce, 8% Douglas fir and 8% Japanese larch and in the following year $\frac{1}{2}$ oz. of mixed fertilizer was applied to each plant. They plan to leave the overstorey for 10 years or until the young trees form canopy.

Points from the discussions—

In Denmark site quality classes are from I to VI. Dalgas plantation is on quality VI and the soil is a poor glacial sand with a pH of 4.6. By introducing soil improvers such as birch and Japanese larch they hope to raise the quality in the next rotation.

Mr. Chrstiansen said they had a "desert" climate in June and July—60° temperature by day and frost every night.

In reply to Mr. Clear, Mr. Christiansen said that clear felling and complete ploughing would be all right if the stumps could be easily removed.

H.M.F.

Wednesday, 27th May.

The journey from Viborg South East to Frijsenborg Estate near Hammel where we studied forestry on this day was full of interest. Our friend and guide, Mr. Tolstrup, gave us many tit-bits of information concerning the district through which we travelled, and pointed out many items of interest to members. Along the route we saw several extensive commercial forest tree nurseries ranging from 50 to 150 acres and among them one owned and managed by the Danish Heath Society for the production of Norway spruce transplants for its more sandy northern forests.

The demand for transplants can be appreciated when one realises that half of Denmark's million acres of forest is in small plantations on farms of less than 50 hectares. Indeed, a feature of this district is the number of small farms which have their own plantations properly managed to provide much of the timber requirements of the holdings. Of interest too was a pig breeding station, and an artificial lake built about 30 years ago as a source of power for the production of electricity.

Count Tido Wedell, owner of the Frijsenborg Estate, met us at Hagsholm Forest and extended a warm welcome to the Society before handing over to his forest manager, Mr. Lovengreen, to conduct us on a tour of the forests. Throughout the tour Count Wedell accompanied us, entertained us to lunch and joined in discussions.

The Estate Forest area of over 4,000 hectares is evenly divided between hardwoods and conifers as follows:

Hardwoods:				Conifers:			
Beech	***	1,009	hectares	Norway spruce	893	hectares	
Oak		439	,,	Sitka spruce	356	,,	
Quercus	borealis	72	,,	Silver fir	450	"	
Ash		186	,,	Abies nordmannian	139	,,	
Maple		40	,,	Douglas fir	70	,,	
Birch		179	,,	Scots pine	25	,,	
Alder	***	124	,,	Japanese larch	171	,,	
Others	***	16	,,	Others	40	,,	
					-		
	Total	2,065	,,	Total	2,144	,,	

At present more than half the forest crop is less than 35 years old. This is due to severe wind storms in 1934 and 1937 when over 10,000 M³ of timber was damaged, and to extraordinary heavy felling during the war years. Soil conditions vary considerably but on the whole the soil is good and conditions reasonably favourable for tree growth. The rainfall for the area is 660 mm.—the average for the country is 625 mm. but frequent and severe late spring frosts and prolonged summer droughts give the forestrs many headaches and cause much damage to tree crops despite their best attention. Birch is extensively used as a nurse for the more tender species which cannot be grown successfully on exposed sites here.

First to catch the eye was a magnificent stand of *Abies grandis*, age 45 years, f.f. .425, h. 28.9 m. diam. 39.9 cm. No. 301, b.a. 37.6 and volume 462 M³ per hectare. First treated in 1934, it had been thinned 11 times and had yielded 438 M³ per hectare from 2,327 poles removed. Between 1934 and 1949 during which period it was thinned bi-annually an average of 12% of the crop was removed in each thinning. Since 1949 thinning was every third year and the cut was reduced to an average of 8.2% of the crop for each thinning. Mr. Lovengreen favours frequent light thinnings to produce big crowns and gross stems. This crop was the second rotation, the first being Norway spruce before which the area was covered with heather.

Next we saw stands of 48 years old *Abies nordmanniana* and 44 years old *Abies nobilis*—poor in comparison with the *grandis*. The *nobilis* stand had been thinned annually to provide Christmas decorations for which there is good demand at a remunerative price. A belt of 64 years old silver fir on the west and windward side of this conifer block was underplanted with beech in 1958. As the silver fir is regarded as a wind firm species it is planned to retain it as long as possible for protection and the beech is introduced to improve the soil and form an understorey. We wondered at the close spacing of the beech in the lines which were 6 feet apart, but only a few inches apart in the lines.

The Danes believe in close spacing of beech to get the best results. A stand of common oak underplanted with sycamore in 1942 was admired and discussed. Some members expressed the opinion that the sycamore would eventually outgrow the oak but Mr. Lovengreen plans to keep the sycamore as an understorey for the benefit of the oak only. The oak is now 47 years old; f.f. .606, h. 14.0 m. diam. 18.7 cm. No. 547, b.a. 15.1 and Vol. 128 M³ per hectare. It has been thinned 5 times since 1931 and promises excellent results.

At Haurum Forest on the same Estate beautiful plantations of spruce and oak were to be seen. A 20 years old stand of Sitka spruce which was not yet pruned was receiving its first thinning. By our standards the thinning was light, but the felling and extraction to roads was extremely difficult in this thicket. Of particular interest was a plantation of Sitka spruce specially selected for seed supplies. Stems are now reduced to 300 per hectare and at 51 years old they are 30.5 m. in height. They are oviously classically bred and this is appreciated by the owner and forester. Here, too, we saw a stand of sessile oak from special (Spessard) seed now 45 years old and full of promise.

At Pot Molle, beech 60 to 80 years old was the attraction before driving to Sonderskoven where numerous interesting plantations of beech, silver fir, Japanese larch and Norway spruce were seen and compared. Members were surprised to see Norway spruce thinnings being prepared for transmission poles, but there is apparently a ready market for good quality Norway spruce for this purpose. An unusual method of protection against wind damage was the subject of a lively discussion at a 36 year old Norway spruce plantation. Some of the trees on the edge of the stand had been blown down during a recent storm making it more difficult now to protect the remainder of the crop. Realising that the wind was likely to penetrate deeper and deeper into the wood unless the trees on the fringe were kept standing, Mr. Lovengreen had several whorls of branches pruned from the centre of the crown of these trees, leaving the top and bottom green whorls untouched. In this way the area of crown exposed to the wind is reduced and the force of the wind gradually weakened. There is little light penetration to the forest floor and very little loss of increment.

A most instructive and interesting tour of Frijsenborg Estate ended at a 13 year old beech plantation which had been treated with artificial manures including Nitre, Potash and Phosphate. Growth is pretty even, and so far the experiment has shown little results.

Our President and Mr. J. Galvin thanked Count Wedell for his lavish hospitality, and for the great privilege of viewing his numerous excellent plantations. To Mr. Lovengreen and his able assistants, Mr. Norgaard and Mr. Graam, for arranging the itinerary, providing a wealth of information, and patiently answering questions words of appreciation were also spoken.

Travelling via Himmelbjerget we paused here to admire the scenery.

Here, indeed, trees have added much to the beauty of the landscape and it reminds one of how much remains to be done to improve our secenery, where we have lakes and hills in abundance in Ireland.

Driving through a community forest which is the property of local farmers our guide explained that it was managed as a single unit although the boundaries of each owner's plot are clearly demarcated.

Arriving at Hojkol, the residence of Mr. Gunnar Larsen—a familiar figure in Irish Industry— he invited us to have a look around the estate before entertaining us to supper. Here, too, we met Dr. Axel S. Sabroe so well known to our members and Mrs. Sabroe who also visited Ireland some years ago.

In extending a hearty welcome to the Society Mr. Larsen invited us to make ourselves "at home" which we really did, partaking of a substantial meal in the cool of the evening. Dr. Sabroe also spoke warm words of welcome, and apologised for being unable to meet us on landing in Denmark on Monday morning, being advised by his doctor not to travel.

The President and Mr. M. Flannery offered thanks to all concerned for the wonderful hospitality and kindness which we received.

The sun was setting as we left to continue our journey to Horsens where we stayed for the night. We were sorry to part with Mr. Tolstrup there after a perfect day.

D.McG.

Thursday, May 28th:

Leaving Horsens at 9.30 a.m. we soon arrived at Boller State Forest where Dr. Axel Sabroe was our guide for the day.

Boller was, until 1930, part of the great Frijsenborg estate. But after the death of the late Count it was sold to the State which divided the farmland into 18 acre holdings and took over control of the forests. When Dr. Sabroe took charge in 1935 he continued a system of silviculture more or less corresponding to the German *Dauerwald* ideas: thinnings were carried out every two or three years and slow, natural regeneration, especially of beech, was started. This proved very successful during the second World War when a good reserve of naturally regenerated material was found to exist under the old stands.

Figures for the forest are as follows:

Total area 3,458 acres
Total broadleaved trees ... 2,561 acres
Total coniferous trees ... 622 acres

Beech predominates among hardwoods and silver fir among conifers.

Average standing volume for all species was 2,415 cubic feet per acre in 1933 and 2,258 cubic feet per acre in 1948. The intention is to increase this to 2,800 cubic feet per acre.

Precipitation averages 28 inches per annum. The soil is rich, but in places too heavy. Chalk is abundant.

The first stop on the excursion was at plot No. 3 where we saw an excellent example of selection treatment with mixed hardwoods. Ash, beech and sycamore were the predominant species. A very excellent second storey of sycamore was of great interest as, even at an early age, one could see 15 to 20 feet of perfectly formed and clean stem in all dominants of that age group. All were allowed to come up at very close spacing, i.e. about 6 inches apart, and only after 6 to 7 years of intense competition was any thinning carried out and then only slowly. This area is an experimental one where Dr. Sabroe has carried out very careful and intensive treatment with excellent results.

Plot No. 16 being one of coniferous mixture of Douglas fir and western red cedar (planted 1951) gave rise to the question of mixtures of species. Dr. Sabroe, although in favour of mixtures, preferred the idea of grouping the species, e.g. a group of Douglas, another of *Thuya* and so on. For an eight years' old plantation the mixture showed good promise, and even the shade-loving *Thuya* was coming on well.

A plot of beech which in its early years, at the beginning of the century, had been seriously damaged by game was then shown to us. Although considered poor by Danish standards it would easily reach Quality Class II in Ireland. The quality of hardwood stands in most of the Danish forests was really an eye-opener for us.

We then visited a plot of beech where group regeneration was carried out. The beech standards are 145 years old, showing 30 or more feet of clean, first-class timber. In Denmark the trunk is sold as first-class timber for furniture, etc., the main branches may be used for floor blocks, and small lumber and the lesser branches are sold for firewood.

Further to this we visited Plot No. 294 where we saw selection treatment of ash, sycamore and beech. The first storey was ash, the second beech and the third sycamore. The combination, although not very outstanding does show the compatibility of these species with each other.

Our final wanderings of the day took us through "Grund" forest where another fine stand of beeches, 135 years old, was pointed out to us. This region is on the banks of the Vejle Fjord and yet the beech stems are very well shaped. Interesting to note was the absence of root competition with the second generation coming up which may have been secured by the gradual opening up of the stand, thus retaining the soil moisture more completely.

After driving through Ullerup forest we soon arrived at the Sabroes' summer residence where we had afternoon tea before heading over the Lillebaeltsbroen and on to Odense where we spent the night.

Friday, May 29th:

This day we visited two forest areas, the first one being at Lengeso. When we left Odense we met Mr. Elmqvist who replaced Mr. Tolstrup as our travelling guide.

Langeso is situated a few miles to the north-west of Odense, and the forest area totals 1,895 acres. In 1958 the area under trees was divided among species as follows:

Beech				 819	acres
Oak				 142	acres
Ash				 72	acres
		lwoods		 90	acres
Larch	and	Douglas	fir	 154	acres
Other	coni	fers		 420	acres

The hardwood areas are often mixed with conifers which influence the form and growth of the beech. The mixtures have generally been achieved by underplanting in smaller groups and filling up beech stands damaged by mice and frost, the age difference between the beech and the after planted species being about 10 years. Many areas consist solely of conifers.

Stjerneberg, section 61 el: A fine stand of Douglas fir planted in 1883 in an open field at 3×3 ft. spacing. The idea, according to Mr. Marstrand Jorgensen, the forester in charge, is to retain the stand as long as possible. The present price for Douglas of that quality in Denmark is about 7s. per cubic foot, but even at that attractive figure the Danes are reluctant to fell. Whether or not they are carrying the stand beyond its financial rotation through overstressing the silvicultural aspect is a debatable point.

The importance of foliage as a marketable crop was one of the main features noticeable at Langeso. The sale of branches produces an additional income of about £5 per acre per annum.

The overall impression of our short visit to Langeso was one of a scientific approach to forestry with adaptation of the financial aspect to the silvicultural rather than *vice versa* as in Ireland.

After lunch at the Komigen Kro we travelled south towards Faaborg, stopping off at Brahetrelleborg estate, owned by Countess L. M. Reventlow, which is 3 to 6 miles from the coast north-east of Faaborg in the south of the Island of Fyn. Here oak and beech grow well. Conditions are poor for ash, and many trees show black seed at 25 years of age. Norway spruce is badly attacked by heartrot. Regeneration in beech is carried out partly by self-seeding and partly by planting, oak chiefly by direct seeding, all other species by planting.

In a visited beech plot the area was being prepared for natural regeneration. The stand has not been thinned since 1944 to prevent encroachment of ground vegetation which would hinder natural regeneration. When a good mast occurs the ground will be prepared by

a cultivation which will make strips 1 metre apart, then in the following winter the stand will be thinned.

Finally our tour took us to an oak stand severely defoliated by the moth *Tortrix viridana*. On these oak stems a large number of epicormic shoots have appeared due to the attack of the moths. Underplantings of lime, sycamore, ash and beech are used to retard the development of watersprouts, but here the attack was so heavy that the canopy had been opened up and in many cases stripped completely. Discussion of the situation followed, and the Danes, including Mr. Bistrup, forest officer, seemed rather reluctant to use insecticidal sprays for fear of harming other wild life and predators on the moths.

The night we spent in Faaborg, dining at Rasmussens hotel and thence wandering to our respective beds, scattered through three of the town's hotels.

L.G.

Saturday, May 30th:

After a restful and pleasing evening followed by a good night's rest in the ancient town of Faaborg on the Baltic coast, we headed north westward. An air of sadness prevailed—we were now commencing our last day; turning homewards, reluctant to leave Denmark and its friendly people.

After a pleasant run we halted at the Forest of Weddellsborg (Area 160 hectares). We were met by Forest Officer H. P. Ovistgaard who welcomed us and gave us a short history of the forest area. He pointed out that the strong winds from the south west were troublesome as the forest had a long boundary facing those prevailing winds.

The soil in the area is derived from a deep glacial deposit, rich and showing signs of careful management. Many broad-leaved species including oak, beech, sycamore, rowan (*Sorbus*) and ash are cultivated. Of the conifers Norway spruce, Douglas fir, *Ahies alba*, Sitka spruce (and it was the first area with a plantation of Cupressus Lawsoniana) were to be seen. To an Irish Forester the absence of *Tsuga heterophylla* was noticeable.

Oak and beech are grown for veneer and fine stands of pedunculate oak of approximately 130 years were seen. Beech 160 years old was here too. The selected stems of the oak are kept pruned of water sprouts from June to September each year. The failure to carry out this operation in any one year would ruin the stem for veneer purposes.

The system under which these oak and beech are grown is a two storied and often a three storied forest. The first length of an oak grown thus and of first quality (about 10 ft. long) is valued at between twenty and thirty-five pounds sterling per cubic metre. The second length often obtained is valued from ten to fifteen pounds.

When growing oak of this quality the Danish Foresters aim at producing 14 to 16 sq. metres basal area per hectare at 50 years and to

maintain this basal area throughout the life of the forest. This includes the basal area of the second storey, usually beech, and the third storey, usually of sycamore. *Sorbus* and similar smaller trees are also used in this storey which forms a protection for the forest floor.

Green pruning of the spruce and Lawson cypress was practised to take advantage of the Christmas trade in greens and, to supplement the Christmas trees, for decorative purposes.

The use of branches and brushwood to conserve the moisture in the areas being re-planted or re-seeded was practised. Deer had caused damage in this area.

Absence of oak mildew was explained thus: "Oak likes wind: perhaps mildew does not like wind."

Reluctantly we left the forest, stopping to have our last meal on Danish soil at a beautiful restaurant on the shores of the Baltic. Farewells were made to our Danish hosts; our excellent Danish driver raced his bus against time over the Smaal Belt Bridge and on into Esbjerg and here we boarded the boat for home.

M.C.

Forest Machinery Field Day

The Society broke new ground when it organised, on May 2nd, a demonstration of forest machinery on a site kindly provided by the Earl of Meath on his estate at Kilruddery, Bray, Co. Wicklow. The day was a marked success, with fourteen firms exhibiting and demonstrating many varied pieces of machinery with uses in forestry. Each exhibitor was allocated two half-hour periods, one in the morning and one in the afternoon, for demonstration.

The field day was formally opened by Mr. Childers, then Minister for Lands, who spoke of the remarkable progress that had been made in recent years in the development of new and better types of machinery capable of dealing with a very wide range of forest operations, and of the enormous contribution which the use of suitable machinery could make to more economic and more efficient forestry. He congratulated the Society for arranging the demonstration and mentioned the encouragement and support given by the members of the Society in the campaign for more private forestry.

Advertiser's Announcement

A new line of six McCulloch chain saws has been announced by R. Broderick & Sons, Ltd., 43, Dame Street, Dublin.

The line is composed of the MAC/35A, low-priced, gear-drive chain saw; the 1/40, low-priced direct-drive model; the 1/50, a more powerful direct-drive saw; the 1/70, the fastest, most powerful direct-drive saw in the line; the 1/80, most powerful gear-drive one-man saw; and the 99, rugged, heavy-duty two-man saw.

The new saws have been subjected to demanding performance checks, including operating them in both extreme desert heats and arctic temperatures. In the laboratory, saws were started, accelerated and stopped consecutively thousands of times, while cutting loads varied repeatedly.

A number of different bar lengths are available for use with each of the McCulloch saws. The complete line offers saws for uses ranging from the most rugged logging and timber work to tree trimming and firewood cutting.